

Machine tools park

NUMERIC CONTROL LATHE "DMG MORI" TYPE: CTX BETA 2000

- Diameter: 600mm
- Length: mm 2000
- Driven tools
- Y-axis
- integrated bezel



DIGITALS MILLINGMACHINES "C.B.FERRARI"

Type: S630 5 Digital Axis
Travel: mm X 3000 Y 890 Z 805
with 5th axis - rotary table \varnothing mm 1000
with 4th axis - rotary head constantly
electrospindle ISO50



C.N.C. "CASER" TYPE MILLING MACHINE WITH MOVABLE BRIDGE

Type: Varigrantry 3
Stroke: mm 6000 x 3000
Free room: 1500



C.N.C. "CASTEL" TYPE BORING MACHINE

Type: Red - Controlled rotary table mm 1600 x 1800
Stroke: mm 6000 x 2000 x 2000



NUMERIC CONTROL LATHE WITH SELF-LEARNING TYPE: T550L SNC

- Center height on the bed: mm 550
- Distance between the centers: mm 3000
- Max. rotary diameter on the bed: mm 1100
- Maximum rotary diameter on the slide: mm 750 Max.
- Weight admitted between the centers: Kg. 4000
- Spindle Power: KW 30



DIGITALS MILLINGMACHINES "C.B.FERRARI"

Type: A186 E.580 6 Digital Axes
Travel: mm X 1450 Y 520 Z 420
Continuous Tilting Head with Electro-Spindle
ISO40 16000 RPM 27/35 kW - 90/130Nm
NC Dividing Units Rotary Table 360° and Tilt 120°



"C.B. FERRARI" N.C. MILLING MACHINE

Control SELCA 1200
Type: FBF 2500
Travel: mm 2500 x 700 x 1100



"C.B. FERRARI" N.C. MILLING MACHINE

Type: D432 E560
Travel: mm 3000 x 1400 x 800 ISO 45 with electrospindle at 16.000 rpm
with 4th axis - rotary table \varnothing 800 - or index head y \varnothing 500 with hydraulic tailstock
with 5th axis and rotary head constantly controlled on 180°



C.N.C. "C.B. FERRARI" TYPE MILLING MACHINE

Type: S82 E. 132 V
Stroke: mm 2500 x 800 x 1000
with 5° controlled rotary table axis diam.1300 and controlled rotary head
(index approx. 180° every 2,5°)

**C.N.C. "C.B. FERRARI" TYPE MILLING MACHINE**

Type: S82 E. 520
Stroke: mm 2500 x 800 x 1000
with 5° controlled rotary head (aprox. 180°)

C.N.C. "C.B. FERRARI" TYPE MILLING MACHINE

Type: S56 E. 160
Stroke: mm 1600 x 600 x 550
with rotary head (index approx. the 180° every 2,5°)

**C.N.C. "C.B. FERRARI" TYPE MILLING MACHINE**

Type: S52 E. 524
Stroke: mm 1400 x 500 x 450
with rotary head (index aprox. the 180°every 2,5°)

C.N.C. "C.B. FERRARI" TYPE MILLING MACHINE

Type: A17 E. 160
Stroke: mm 1050 x 520 x 420
with 5° controlled rotary table axis approx. 360° diam. 400 - with 6° controlled
horizontally pivoted table approx. 120° with rotary head index approx. 180 every 2,5°

"C.B. FERRARI" N.C. POINT-TO-POINT MILLING

Type : P5-S
Travel: mm 1100 x 350 x 300

**"RIGIVA" TYPE UNIVERSAL MILLING MACHINE**

Type: 2 – Completely visualized

**"DE BERNARDI" N.C. LATHE**

Travel: diam. mm 500 x 1500 - GE-FANUC 16T control

**"TOVAGLIERI" CENTER LATHE**

Center height: mm 220 x 1500

"TOVAGLIERI" CENTER LATHE

Center height: mm 220 x 2000 - Completely displayed

"TACCHI" HALF-FRONT CENTER LATHE

Open sliding bed diam. mm 330 x 2000
Spindle, max 4 diam. gripper, mm 900

"FAVRETTO" TANGENTIAL GRINDING

Travel: mm 1600 x 600 x 1000

"ELBO CONTROLLI" TOOL PRESET

Type: E 780

"ELBO CONTROLLI" TOOL PRESET

Type: AR 2000

SCAD-CAM ENGINEERING STATIONS

With supports:

- CAM "DAM" and "TS30" con uscite Elexa/Selca/E.C.S./Fanuc/Heidenhain
- Auton 2.5
- ESPRIT (per tornitura e fresatura 3 e 5 assi)

**CAD-CAM Three-dimension ENGINEERING STATION**

With supports:

- Rhinoceros 3,0
- Auton 12
- SolidWorks 2017

THREE-DIMENSION MEASURING MACHINE: NEWSTHREE-DIMENSION MEASURING MACHINE

- DEA series GLOBAL PERFORMANCE 12.22.10

X Y Z

Work range 1200 x 2200 x 1000 in mm.

Equipped with:

- tracer points PH10MQ-TP200 and PH10MQ-SP25
- PC-DMIS CAD++ DCC Ver.3.7 MR3

**"ROSA" 2-head online BENCH DRILLING MACHINE**

With 2 in line heads - drilling from mm 0 to mm 10

PILLAR DRILL - Hole mm 10**"LTF" RADIAL DRILLING MACHINE** - Hole mm 50**"CASER" RADIAL DRILLING MACHINE** - Hole mm 25**"RAIM 360 ATS.5" BELT SAW** - Automatic feed and cut**"SHARK 260" BELT SAW** - Manual feed and cut**"PEDRAZZOLI" DISK CROPPER** - Manual feed and cut**"LINDE" LIFT TRUCK**

Tipo: 35 q

ZONE OF ASSEMBLY, CHARGE AND DISCHARGE



Meccanica Besnatese s.r.l.

info@meccanicabesnatese.com

Via Alfredo Di Dio, 47 - 21010 Besnate (VA) - Italy

Tel. +39 0331 274078 - Fax +39 0331 272328

www.meccanicabesnatese.com

P. Iva 00184580124



Certified according to
UNI EN ISO 9001:2008